

Well Visit & Immunization Schedule – PDF (downloadable version)

Newborn

Weight

2 Week – 4 week

Head Circumference o Weight o Length

Vaccines: None

8 Week

Head Circumference o Weight o Length

Vaccines: Prevnar #1 (Pneumococcal Vaccine) Rota #1 (Rotavirus)

Hep B # 1 (Hepatitis) Unless given in the hospital, then Hep B # 2

Pentacel # 1 (DtaP, Hib, Polio)

4 Months

Head Circumference o Weight o Length

Vaccines:

Rota #2

Prevnar # 2

Hep B # 2 if not given at 8 weeks

Pentacel #2

6 Months

Head Circumference o Weight o Length

Vaccines: Prevnar #3

Rota #3

Pentacel # 3

Infuenza (if in season)

9 Months

Head Circumference o Weight o Length

Hemoglobin

Lead

Vaccines: Hep B #3

12 Months (must be on or after 1st birthday)

Head Circumference o Weight o Length

Vaccines: Prevnar #4

Hep A #1 (Hepatitis A Vaccine)

15 Months

Head Circumference o Weight o Length

Vaccines: Varicella #1 (chicken pox)

MMR #1 (Measles, Mumps, and Rubella)

18 Months

Head Circumference o Weight o Length

Vaccines: Hep A # 2
Pentacel #4 (DtaP, Hib, Polio)

2 Years

Height o Weight (standing)
Hemoglobin
Lead
Vaccines: Hep A #2 (if not already given)

2 ½ Years

Height o Weight
Vaccines: Catch Up if Needed

3 Years

Height o Weight
Vaccines: Catch up on vaccines if needed

4 Years

Height o Weight
Blood Pressure o Pulse
Hearing and Vision screening
Quadracel (DtaP + IPV)
MMRV (MMR and Varicella)

5 Years

Height o Weight
Blood Pressure o Pulse
Hearing & Vision
Hemoglobin
Urinalysis
Vaccines: if not given at age four

6-10 Years

Height o Weight
Blood Pressure o Pulse
Hearing & Vision
Hemoglobin
Vaccines: Catch up on vaccines, if needed

11 & 12 Years

Height o Weight
Blood Pressure o Pulse
Hearing & Vision
Hemoglobin
Urinalysis (age 11)
Vaccines: Tdap (Tetanus, Diphtheria, Pertussis)
Menactra (Meningitis Vaccine)

Teenage – College Age

Height o Weight

Blood Pressure o Pulse

Hearing & Vision

Hemoglobin

Urinalysis (age 16)

PHQ-9 (Teen Screen)

Vaccines: Catch up on vaccines, if needed

Gardasil Series (Human Papillomavirus Vaccine)

Menactra Booster (on or after 16th birthday)

Bexsero (Meningitis B Vaccine) 2 dose series minimum 1 month apart